

Table 17B
2002 Pediatric Nutrition Surveillance (1)
Amador
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 1
Run Date: 11 / 7 / 03

State: California

County: 003

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	11	*	6 - 11 Months	1	*
12 - 17 Months	17	*	12 - 17 Months	1	*
18 - 23 Months	4	*	18 - 23 Months	0	*
24 - 35 Months	10	*	24 - 35 Months	0	*
36 - 59 Months	45	*	36 - 59 Months	0	*
Total	87	*	Total	2	*
Black, Not Hispanic			All Other/Unknown		
6 - 11 Months	0	*	6 - 11 Months	5	*
12 - 17 Months	2	*	12 - 17 Months	6	*
18 - 23 Months	1	*	18 - 23 Months	5	*
24 - 35 Months	0	*	24 - 35 Months	6	*
36 - 59 Months	3	*	36 - 59 Months	9	*
Total	6	*	Total	31	*
Hispanic			Total All Race/Ethnic Groups		
6 - 11 Months	19	*	6 - 11 Months	36	*
12 - 17 Months	20	*	12 - 17 Months	48	*
18 - 23 Months	11	*	18 - 23 Months	21	*
24 - 35 Months	23	*	24 - 35 Months	39	*
36 - 59 Months	47	*	36 - 59 Months	104	9.6
Total	120	15.8	Total	248	13.7
American Indian/Alaskan Native					
6 - 11 Months	0	*			
12 - 17 Months	2	*			
18 - 23 Months	0	*			
24 - 35 Months	0	*			
36 - 59 Months	0	*			
Total	2	*			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17B
2002 Pediatric Nutrition Surveillance (1)
Amador
Anemia Indicators by Race/Ethnicity and Age
Children Aged 5 to <20 Years (2)

Page: 1
Run Date: 11 / 7 / 03

State: California

County: 003

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number			Number	
White, Not Hispanic			Asian/Pacific Islander		
5 - 7 Years	0	*	5 - 7 Years	0	*
8 - 11 Years	0	*	8 - 11 Years	0	*
12 - 14 Years - Boys	6	*	12 - 14 Years - Boys	0	*
12 - 14 Years - Girls	5	*	12 - 14 Years - Girls	0	*
15 - 19 Years - Boys	4	*	15 - 19 Years - Boys	1	*
15 - 19 Years - Girls	10	*	15 - 19 Years - Girls	0	*
Total	25	*	Total	1	*
Black, Not Hispanic			All Other/Unknown		
5 - 7 Years	0	*	5 - 7 Years	0	*
8 - 11 Years	0	*	8 - 11 Years	0	*
12 - 14 Years - Boys	0	*	12 - 14 Years - Boys	1	*
12 - 14 Years - Girls	1	*	12 - 14 Years - Girls	3	*
15 - 19 Years - Boys	1	*	15 - 19 Years - Boys	1	*
15 - 19 Years - Girls	1	*	15 - 19 Years - Girls	2	*
Total	3	*	Total	7	*
Hispanic			Total All Race/Ethnic Groups		
5 - 7 Years	0	*	5 - 7 Years	0	*
8 - 11 Years	0	*	8 - 11 Years	0	*
12 - 14 Years - Boys	13	*	12 - 14 Years - Boys	20	*
12 - 14 Years - Girls	13	*	12 - 14 Years - Girls	22	*
15 - 19 Years - Boys	7	*	15 - 19 Years - Boys	14	*
15 - 19 Years - Girls	7	*	15 - 19 Years - Girls	20	*
Total	40	*	Total	76	*
American Indian/Alaskan Native					
5 - 7 Years	0	*			
8 - 11 Years	0	*			
12 - 14 Years - Boys	0	*			
12 - 14 Years - Girls	0	*			
15 - 19 Years - Boys	0	*			
15 - 19 Years - Girls	0	*			
Total	0	*			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.